





09 6325




Gebrauchsanweisung
52 2548
(DE,EN,FR,IT,NL)

Montageanleitung
52 2494
(DE,EN,FR,IT,NL,DA,
NO,FI,SE,TR)

Beistellsatz
26 5162





Pos.	Aspera BPK 1084Y	Danfoss TLY 6 KK2	
1	14 2101	14 2058	
2			
3	18 0819	15 1055	
4			
5	17 0882	15 0760	
6	17 0881	15 1072	
7	16 9319	16 9319	
8	26 4879	27 1375	
9	05 0166	05 0166	
10			
11	36 5099	36 5099	
12	05 6008	05 6008	

TECHNISCHE DATEN / TECHNICAL DATA / DONNEES TECHNIQUES				
Verdichter/Compressor/Compresseur		Aspera	Danfoss	
Typ/Type		BPK 1084Y	TLY 6 KK2	
Förderleistung/Delivery/Débit	l/h	1201	1026	
Anlaufstrom/Starting current/Cour de démarrage	A	3,6	4,4	
Widerstand/Resistance/Résistance	Ha/main/prin	W	29,6	34,0
	Hi/aux	W	39,1	31,0
Temp.-Regler/Thermostat		Ranco		
Typ/Type		K59		
Regelstellung/Position		kalt	warm	
Schaltwerte/Switching values	"warm"	+5,2	+5,2	
Valeurs de commutation	"kalt"	-32,0	-15,0	
Füllmenge/Fill.quantity/Charge		R600a	*	
Anschlußwert/Conn.load/Puiss. connectée		W	79	68
Heizung/Heater/Chauffage				
Widerstand/Resistance/Résistance	W			
Leistung/Power/Puissance	W			
Ventilator/Blower/Ventilateur				
Widerstand/Resistance/Résistance	W			
Temp.-Regler/Thermostat				
Magnetventil/Magnetic valve/Electrovanne				
Widerstand/Resistance/Résistance	W			
Spannung/Voltage/Tension	V			

* siehe Typenschild