








- 1) 35 4164
- 2) 35 4166
- 3) 17 3172
- 4) 26 6089
- V01,V02
- 26 8509
- V03



Pos.	Matsushita		
	DA110E13		
1	14 2303		
2	16 3427		
3	35 4158		
4	17 1318		
5	48 3071		
6	17 1519		
7	18 1014		
8	18 7960		
9			
10			
11			
12			

TECHNISCHE DATEN/TECHNICAL DATA/TEKNIK BİLGİLER			
Verdichter/Compressor/Kompresör		Matsushita	
Typ/Type/Tip		DA110E13	
Förderleistung/Delivery/Verim/h			
Anlaufstrom/Starting current/Giris akimi		A	
Widerstand/Resistance/Rezistans		Ω	
Hi/aux.			
Temp.Reyler/Thermostat/Termostat		D77B62	
Typ/Type/Tip			
Reglerstellung/Position/Termostat pozisyonu			
Schaltwerte/Acma kapama degerleri		..ein/acma °C	+4.5 +4.5
Valeurs de commutation/Termostat degeri		..aus"/kapama	-28 -18
(..abtaven' od)		..alarm'	
Füllmenge/Fill. quantily/ Dolum miktarı		R600	g
Anschlusswert/Comm. load/Giris gucu		W	*
Heizung/Heater/Rezistans		Ω	
Widerstand/Resistance/Diranc		W	
Leistung/Power/Guc			
Ventilador/Blower/Vantilatör		Ω	
Widerstand/Resistance/Rezistans			
Magnetventil/Magnetic valve/Manyetik valf		Ω	
Widerstand/Resistance/Rezistans		V	
Spannung/Voltage/Gerilim			
Temp.Reyler/Thermostat/Termostat			

* Siehe Typenschild/Mamul etiketine bakiniz