




- 1) Blende kompl.
35 7278
(Symbole), V01
35 8088
(pl), V02
2) 26 7079
(hu)
26 7085
(cz)
26 7718
(ru)
26 7455
(gr)

Mat. - Nr. - Konstante
3740

Gebrauchs-/
Aufstellanweisung

52 5082 (ru)
52 5083 (hu)
52 5084 (cz)
52 5086 (sk)
52 5087 (ua)
52 5088 (bg)
52 5089 (ro)
52 5090 (si)
52 5091 (hr)
52 5093 (gb)
52 5094 (es)
52 5613 (pl)
52 7084(el)
52 7085 (tr)

Programmtabelle

52 5095 (ru)
52 5096 (hu)
52 5097 (cz)
52 5098 (sk)
52 5099 (ua)
52 5100 (bg)
52 5101 (ro)
52 5102 (si)
52 5103 (hr)
52 5104 (gb)
52 5105 (es)
52 5614 (pl)
52 7086 (tr)
52 7087 (el)

Zubehör:

Bodenbefestigung

WMZ2200


Verlängerung


Zulaufschlauch 2,5m

WMZ2380/01

Unterbauabdeckung

WMZ2410



Mat. – Nr. – Konstante
3740

1) 26 5964

