




Gebrauchs-/  
Aufstellanweisung


|         |         |
|---------|---------|
| 52 9813 | 52 9959 |
| (de)V01 | (nl)V02 |
| 52 9835 | 52 9836 |
| (da)V03 | (fi)V03 |
| 52 9837 | 52 9838 |
| (no)V03 | (sv)V03 |
| 58 1680 | 58 1681 |
| (de)V04 | (fr)V04 |
| 58 1683 |         |
| (it)V04 |         |

Programmtabelle

|         |         |
|---------|---------|
| 52 9814 | 52 9960 |
| (de)V01 | (nl)V02 |
| 52 9839 | 52 9840 |
| (da)V03 | (fi)V03 |
| 52 9841 | 52 9842 |
| (no)V03 | (sv)V03 |
| 58 1685 | 58 1687 |
| (de)V04 | (fr)V04 |
| 58 1688 |         |
| (it)V04 |         |


1) 36 4943  
 (de)V01  
 36 5106  
 (nl)V02  
 36 4958  
 (da)V03  
 36 7193  
 (de)Symbole/V04

2) 48 2994 48 4228  
 (no)V03 (it) V04  
 48 2995 48 4044  
 (sv) V03 (fr) V04  
 48 2996  
 (fi) V03



Dämmatten-Set  
 21 6336

Zubehör:  
 Bodenbefestigung  
 WX9756  
 Verlängerung für  
 Kalt- und Warmwasser-  
 anschluß 2,5m  
 WZ10130



1) 26 5964

